

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 10/10/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : EasyPro - Part A (Resin)
UFI : HH00-C0TV-Q00G-1KF3

REACH registration No. : Mixture exempt from REACH registration.

Product code : BCR6
Product group : End product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Consumer use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

AZPECTS LTD 12-13 RIVERSIDE INDUSTRIAL PARK IPSWICH

SUFFOLK

+44 1473 760777 info@azpects.co.uk

1.4. Emergency telephone number

Emergency number 01473 760777

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment - Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) :

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P273 - Avoid release to the environment.

P261 - Avoid breathing dust, mist, vapours, fume. P262 - Do not get in eyes, on skin, or on clothing.

P280 - Wear protective clothing, eye protection, face protection, protective gloves. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P352 - IF ON SKIN: Wash with plenty of water. P314 - Get medical advice/attention if you feel unwell.

P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

01/07/2024 (Issue date) GB - en 1/13

Safety Data Sheet according to the REACH Regulation (EC) 1907/2006

amended by Regulation (EU) 2020/878

EUH-statements

: EUH208 - Contains BIS(4-(2,3-EPOXYPROPOXY)PHENYL)PROPANE (1675-54-3), methyl toluene-4-sulphonate (80-48-8), OXIRANE, MONO[(C12-14ALKYLOXY)METHYL] DERIVATIVES (68609-97-2). May produce an allergic reaction.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component		
	BIS(4-(2,3- EPOXYPROPOXY)PHENYL)PROPANE(1675-54-3)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
QUARTZ substance with a Community workplace exposure limit BIS(4-(2,3-EPOXYPROPOXY)PHENYL)PROPANE	CAS-No.: 14808-60-7 EC-No.: 238-878-4	≥ 90	Not classified
SISTA-(2,0-E) OXTITION OXTITIENTED HOT AINE	CAS-No.: 1675-54-3 EC-No.: 216-823-5 EC Index-No.: 603-073-00-2 REACH-no: 01-2119456619-26	1.99 – 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT RE 2, H373 Aquatic Chronic 2, H411
OXIRANE, MONO[(C12-14ALKYLOXY)METHYL] DERIVATIVES	CAS-No.: 68609-97-2 EC-No.: 271-846-8 EC Index-No.: 603-103-00-4	0.01 – 0.98	Skin Irrit. 2, H315 Skin Sens. 1, H317
methyl toluene-4-sulphonate	CAS-No.: 80-48-8 EC-No.: 201-283-5 REACH-no: 01-2120752485-49	0.01 – 0.98	Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Skin Sens. 1B, H317

Specific concentration limits:	ific concentration limits:		
Name	Product identifier	Specific concentration limits (%)	
BIS(4-(2,3-EPOXYPROPOXY)PHENYL)PROPANE	CAS-No.: 1675-54-3 EC-No.: 216-823-5 EC Index-No.: 603-073-00-2 REACH-no: 01-2119456619-26	(5 ≤ C ≤ 100) Eye Irrit. 2, H319 (5 ≤ C ≤ 100) Skin Irrit. 2, H315	

Full text of H- and EUH-statements: see section 16

Safety Data Sheet according to the REACH Regulation (EC) 1907/2006

amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Symptoms/effects after skin contact : May cause an allergic skin reaction.
Symptoms/effects after eye contact : redness, itching, tears. stinging.

Symptoms/effects after ingestion : May cause irritation to the digestive tract. Abdominal pain, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Use extinguishing media appropriate for surrounding fire.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of : Toxic fumes may be released.

fire

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further

information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth.

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

01/07/2024 (Issue date) GB - en 3/13

Safety Data Sheet according to the REACH Regulation (EC) 1907/2006

amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Hygiene measures : Ensure good ventilation of the work station. Wear personal protective equipment. : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep cool. Keep container tightly closed.

Storage area : Store in a well-ventilated place.
Special rules on packaging : Keep only in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

QUARTZ (14808-60-7)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Silica crystaline (Quartz)
IOEL TWA	0.05 mg/m³ (respirable dust)
Remark	(Year of adoption 2003)
Regulatory reference	SCOEL Recommendations

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

BIS(4-(2,3-EPOXYPROPOXY)PHENYL)PROPAN	G(4-(2,3-EPOXYPROPOXY)PHENYL)PROPANE (1675-54-3)	
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	0.75 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	4.93 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	0.5 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	0.87 mg/m ³	
Long-term - systemic effects, dermal	89.3 µg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.006 mg/l	
PNEC aqua (marine water)	0.0006 mg/l	
PNEC aqua (intermittent, freshwater)	0.018 mg/l	
PNEC aqua (intermittent, marine water)	0.0018 mg/l	

 $Sheet \ {\it according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878}$

BIS(4-(2,3-EPOXYPROPOXY)PHENYL)PROPANE	(1675-54-3)
PNEC (Sediment)	
PNEC sediment (freshwater)	0.341 mg/kg dwt
PNEC sediment (marine water)	0.0341 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.0647 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	11 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l
OXIRANE, MONO[(C12-14ALKYLOXY)METHYL]	DERIVATIVES (68609-97-2)
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	1 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	3.6 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	0.5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.87 mg/m ³
Long-term - systemic effects, dermal	0.5 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.1058 mg/l
PNEC aqua (marine water)	0.01058 mg/l
PNEC aqua (intermittent, freshwater)	0.072 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	307.16 mg/kg dwt
PNEC sediment (marine water)	30.72 mg/kg dwt
PNEC (Soil)	
PNEC soil	1234 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l
(3-(2,3-EPOXYPROPOXY)PROPYL)TRIMETHOXYSILANE (2530-83-8)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	21 mg/kg bw/day
Long-term - systemic effects, inhalation	147 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	12.5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	43.5 mg/m³
Long-term - systemic effects, dermal	12.5 mg/kg bw/day
PNEC (Water)	
PNEC aqua (freshwater)	0.45 mg/l

Sheet according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

(3-(2,3-EPOXYPROPOXY)PROPYL)TRIMETHOXYSILANE (2530-83-8)	
PNEC aqua (marine water)	0.045 mg/l
PNEC aqua (intermittent, freshwater)	0.45 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	1.6 mg/kg dwt
PNEC sediment (marine water)	0.16 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.063 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	8.2 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Beige.

Odour : Characteristic odour.

Sheet according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Odour threshold : Not available : Not available Melting point : Not applicable Freezing point : Not available Boiling point Flammability : Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available Flash point : Not applicable Auto-ignition temperature : Not applicable Decomposition temperature : Not available

pH :7

: Not applicable Viscosity, kinematic : Insoluble. Solubility Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50°C : Not available Density : Not available Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Heat.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : No data available
Acute toxicity (dermal) : No data available
Acute toxicity (inhalation) : No data available

 $Sheet \ {\it according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878}$

BIS(4-(2,3-EPOXYPROPOXY)PHENYL)PROPANE (1675-54-3)			
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)		
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))		
LD50 dermal rabbit	20000 mg/kg		
methyl toluene-4-sulphonate (80-48-8)			
LD50 oral rat	300 – 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)		
OXIRANE, MONO[(C12-14ALKYLOXY)METHYL	_] DERIVATIVES (68609-97-2)		
LD50 oral rat	17100 mg/kg Source: Corporate Solution From Thomson Micromedex		
LD50 dermal rabbit	> 4500		
LC50 Inhalation - Rat (Dust/Mist)	5 mg/l		
Skin corrosion/irritation	: No data available		
Serious eye damage/irritation	pH: 7 : No data available pH: 7		
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	: No data available : No data available : No data available		
QUARTZ (14808-60-7)			
IARC group	1 - Carcinogenic to humans		
BIS(4-(2,3-EPOXYPROPOXY)PHENYL)PROPAN	IE (1675-54-3)		
IARC group	3 - Not classifiable		
BIS(4-(2,3-EPOXYPROPOXY)PHENYL)PROPANE (1675-54-3)			
NOAEL (chronic, oral, animal/male, 2 years)	15 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Guideline: EPA OPPTS 870.4300 (Combined Chronic Toxicity / Carcinogenicity), Guideline: other:, Remarks on results: other:		
NOAEL (chronic, oral, animal/female, 2 years)	100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Guideline: EPA OPPTS 870.4300 (Combined Chronic Toxicity / Carcinogenicity), Guideline: other:, Remarks on results: other:		
Reproductive toxicity	: Data not validated		
OXIRANE, MONO[(C12-14ALKYLOXY)METHYL] DERIVATIVES (68609-97-2)			
NOAEL (animal/female, F1)	200 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OTS 798.4420 (Preliminary Developmental Toxicity Screen)		
STOT-single exposure STOT-repeated exposure	: No data available : No data available		
BIS(4-(2,3-EPOXYPROPOXY)PHENYL)PROPAN	IE (1675-54-3)		
NOAEL (oral, rat, 90 days)	50 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: other:		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.		

01/07/2024 (Issue date) GB - en 8/13

Sheet according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aspiration hazard : No data available

EasyPro - Part A (Resin)	
Viscosity, kinematic	Not applicable

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms nor to cause long-term $\,$

adverse effects in the environment. No data available.

Hazardous to the aquatic environment,

short-term (acute)

: No data available

Hazardous to the aquatic environment,

long-term (chronic) Not rapidly degradable : No data available

BIS(4-(2,3-EPOXYPROPOXY)PHENYL)PROPANE (1675-54-3)		
LC50 - Fish [1]	1.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	1.8 mg/l	
EC50 72h - Algae [1]	9.4 mg/l Test organisms (species): Scenedesmus capricornutum	
EC50 72h - Algae [2]	> 11 mg/l Test organisms (species): Scenedesmus capricornutum	
EC50 96h - Algae [1]	1.8 mg/l	
LOEC (chronic)	1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0.3 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
methyl toluene-4-sulphonate (80-48-8)		
LC50 - Fish [1]	54.149 mg/l Source: Ecological Structure Activity Relationships	
EC50 - Crustacea [1]	4.38 mg/l Test organisms (species): Daphnia magna	
EC50 96h - Algae [1]	4.228 mg/l Source: Ecological Structure Activity Relationships	
OXIRANE, MONO[(C12-14ALKYLOXY)METHYL] DERIVATIVES (68609-97-2)		
LC50 - Fish [1]	0.002 mg/l Source: Ecological Structure Activity Relationships	
LC50 - Fish [2]	> 5 mg/l	
EC50 - Other aquatic organisms [1]	7.2 mg/l	
EC50 96h - Algae [1]	0.003 mg/l Source: Ecological Structure Activity Relationships	

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

EasyPro - Part A (Resin)	
Bioaccumulative potential	No bioaccumulation data available.
BIS(4-(2,3-EPOXYPROPOXY)PHENYL)PROPANE (1675-54-3)	
Partition coefficient n-octanol/water (Log Pow)	3.84 Source: HSDB

Safety Data Sheet according to the REACH Regulation (EC) 1907/2006

amended by Regulation (EU) 2020/878

12.4. Mobility in soil

EasyPro - Part A (Resin)	
Ecology - soil	Readily absorbed into the soil.
OXIRANE, MONO[(C12-14ALKYLOXY)METHYL] DERIVATIVES (68609-97-2)	
Mobility in soil	12830 Source: Quantitative Structure Activity Relation

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods
Product/Packaging disposal recommendations

: Dispose of contents/container in accordance with licensed collector's sorting instructions. : Disposal of this packaging should at all times comply with the waste disposal legislation and any regional local authority requirements.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR 14.1. UN number or	ID IMDG	IATA	ADN	RID	
number Not regulated for					
transport					
14.2. UN proper shipping name					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.3. Transport hazard class(es)					
Not regulated 14.4.	Not regulated	Not regulated	Not regulated	Not regulated	
Packing group					
Not regulated 14.5.	Not regulated	Not regulated	Not regulated	Not regulated	
Environmental hazards Not					
regulated	Not regulated	Not regulated	Not regulated	Not regulated	
No supplementary information available					

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Safety Data Sheet according to the REACH Regulation (EC) 1907/2006

amended by Regulation (EU) 2020/878

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	

Safety Data Sheet according to the REACH Regulation (EC) 1907/2006

amended by Regulation (EU) 2020/878

Abbreviations and acro	Abbreviations and acronyms:		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
ThOD	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit		
VOC	Volatile Organic Compounds		
CAS-No.	Chemical Abstract Service number		
N.O.S.	Not Otherwise Specified		
vPvB	Very Persistent and Very Bioaccumulative		
ED	Endocrine disrupting properties		

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard, Category 2	
EUH208	Contains BIS(4-(2,3-EPOXYPROPOXY)PHENYL)PROPANE (1675-54-3), methyl toluene-4-sulphonate (80-48-8), OXIRANE, MONO[(C12-14ALKYLOXY)METHYL] DERIVATIVES (68609-97-2). May produce an allergic reaction.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	

Safety Data Sheet according to the REACH Regulation (EC) 1907/2006

amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H319	Causes serious eye irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liaible for any damage resulting from handling or from contact with the above product.